



FCS

RADIO TRANSMISSION AND RECEPTION CONTROL CONNECTOR

UO4 PTT

PUSH-TO-TALK

Falco Communications System



FCS U94 PTT(MU)

Radio Transmission and Reception Control Connector

Product characteristics


- It adopts NTAO U-174 / U audio interface, and supports NTAO U-174 / U standard earphone. The connector uses a mini 5-core XLR to connect the female connector.

Technical Specifications

● Model	FCS U94 PTT-V1	FCS U94 PTT-V2
● Switch type	High feedback switch	Exquisite switch
● Key type	Push type	Push type
● Interface	NATO U-174/U	NATO U-174/U
● Connector	Mini 5-core XLR female connector	Mini 5-core XLR female connector
● Weight	44g	44g
● Material	PVC mixed material	PVC mixed material
● Length	390mm	390mm
● Contact type	Crimp	Crimp



Product view



● Black



● Right side view



● Left side view



● Top view



● Front view



● Mini 5-core XLR female connector

* The data in this document is subject to change without notice. *



Description for Supporting Adapter



Mini 5-core XLR female connector



		Motorola XTS adapter cable Supported Models XTS2500, XTS3000, XTS5000, HT1000, MTS2000, JT1000, MTS838 and other models, general Motorola socket models of the same type.
		ICOM patch cord Supported Models Support ICOM various socket models of the same model.
		Standard 6-pin patch cord Supported Models FCS PRC-148, FCS PRC-117, AN / PRC-148, AN / PRC-152 / AN / PAC-117 and other standard six-pin interface models.
		MTP850, MTH800 adapter cable Supported Models MTP850, MTH800 and other models, common types of socket models of the same model.
		KENWOOD patch cord Supported Models KENWOOD TH-28, TH-48, TH-89, TK-2107 / 3107 Baofeng UV5R, 3R, Burstone underwater craft, Ouxun UV9D, and other general domestic socket models of the same type.
		NTAO U-174 / U Supported Models Support NTAO U-174 / U same type interface headset, radio and other communication equipment.



FCS U94 PTT

Radio Transmission and Reception Control Connector

Product characteristics

- Adopt NTAO U-174/U audio interface, support NTAO U-174/U standard earphones.
- The connector uses a standard 6-pin interface.




技术规格

● Model	FCS U94 PTT V1	FCS U94 PTT V2
● Switch type	High feedback switch	Exquisite switch
● Key type	Push type	Push type
● Interface	NATO U-174/U	NATO U-174/U
● Connector	Standard 6pin connector	Standard 6-pin connector
● Weight	92g	92g
● Material	PVC mixed material	PVC mixed material
● Length	390mm	390mm
● Contact type	Crimp	Crimp

Product view

91mm

78mm



● Black



● Right side view



● Top view



● Front view



● Left side view



● Standard6 -pin connector



FCS

Falco Communications System